



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,859	09/30/2003	Kelly Statham	0153/90550	1877

24628 7590 06/09/2009
Husch Blackwell Sanders, LLP
Husch Blackwell Sanders LLP Welsh & Katz
120 S RIVERSIDE PLAZA
22ND FLOOR
CHICAGO, IL 60606

EXAMINER

LAO, LUN S

ART UNIT	PAPER NUMBER
----------	--------------

2614

MAIL DATE	DELIVERY MODE
-----------	---------------

06/09/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/675,859	Applicant(s) STATHAM ET AL.	
	Examiner LUN-SEE LAO	Art Unit 2614	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 March 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Introduction

1. This action is response to the amendment filed on 03-11-2009. Claims 1, 17 and 19 have been amended. Claims 1-20 are pending.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee (US PAT. 6,025,553) in view of Shiraishi (US PAT. 6,954,538) and Derks et al. (US PAT. 6,021,119).

Consider claim 1 Lee teaches a method for remotely controlling a set of functions related to a wireless audio system from a remote central control(see figs 1-,2), said method comprising the steps of:

providing an audio system that includes a transmitter (see fig.2(73)) and a receiver(75); detecting an audio signal via an acoustic transducer located within the transmitter(see fig.4); modulating a tone burst (the tone controller in fig. 4(18)) manipulate the tone burst and see col. 5 line 63-col. 6 line 14) with a frame of data (the package reads on the frame data), said frame of data containing two or more

Art Unit: 2614

characteristics regarding said transmitter disposed within respective predetermined locations of the frame; mixing (20) the modulated tone burst(18) with the detected audio signal(signals detected by microphone15); modulating the mixed audio signal and modulated tone burst; transmitting(24) the modulated audio signal and tone burst from the transmitter (24) to the receiver and storing the frame of data therein; establishing a link between the receiver of said wireless audio system and a central control for remotely controlling the set of functions through a communication network(see figs 1-4 and col. 4 line 32-col. 5 line 61); but Lee does not explicitly teach a frame of data, including a header with address information, a payload and a trailer ; and determining whether or not any problems exist by monitoring said data stored in said receiver from said central control; communicating from said remote control to said audio system appropriate remedial actions to alleviate any of said problems.

However, Derks teaches a frame of data, including a header with address information, a payload and a trailer from the transmitter to the receiver and storing said frame of data therein, said payload of said frame of data containing two or more characteristics regarding said transmitter disposed within respective predetermined locations of the frame (see figs. 6-7 and col. 7 line 9-col. 8 line 67).

Therefore, it would have been obvious to one of the ordinary skill in the art at the time the invention was made to combine the teaching of Derks into the teaching of Lee in order to identify the data packet as response data packet.

On the other hand, Shiraishi teaches establishing a link between the receiver of said wireless audio system (fig.4) and a central control for remotely controlling the set of

Art Unit: 2614

functions through a communication network (reads on 300 in fig. 4 and 100 with speakers network (201-206) and see col. 7 line 44-col. 8 line 18);

determining (see fig.3) whether or not any problems exist (by test tone) by monitoring said data stored in said receiver from said central control; communicating from said remote control to said audio system appropriate remedial actions to alleviate any of said problems (see col. 6 line 13-col. 7 line 42).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Shiraishi into Lee so that greatly improves the quality of wireless networks in terms of reliability.

Consider claims 2-5 Lee teaches that the audio system comprises a wireless audio system (see figs 1-4 and col. 4 line 32-col. 5 line 61); and the wireless audio system comprises a wireless microphone system (see figs 1-4 and col. 4 line 32-col. 5 line 61); and the transmitter comprises a handheld (see figs 1-4 and col. 4 line 32-col. 5 line 61); and the transmitter comprises a body pack (see figs 1-4 and col. 4 line 32-col. 5 line 61).

Consider claim 6 Lee as modified by Shiraishi and Derks teaches the receiver comprises a diversity receiver (in Derks, see figs. 1-1-5 and col. 4 line 24-col. 5 line 67).

Consider claims 7 and 9, Shiraishi teaches that the data comprises data regarding characteristics of said transmitter or said receiver that can be monitored but not controlled (see figs 1-4 and col. 4 line 32-col. 5 line 61); and the data comprises data regarding characteristics of said transmitter or said receiver that can be monitored and controlled (see figs 1-4 and col. 4 line 32-col. 5 line 61).

Art Unit: 2614

Consider claim 8 Lee as modified by Shirashi and Derks teaches that said data is selected from a group consisting of: receiver internet protocol address, receiver link address, receiver RF level, receiver AF level (in Derks, see fig.15 and col. 13 line 40-63).

Consider claim 10 Lee teaches that said data is selected from a group consisting of: receiver name, receiver frequency, receiver squelch level, receiver meter hold, receiver antenna power, receiver mute, default display on receiver state, receiver lock condition, receiver load present, and receiver save preset(col. 9 line 17-67).

Consider claim 12 it is essentially similar to claim 10 and is rejected for the reason stated above apropos to claim 10.

Consider claim 11 Lee teaches that the communicating step includes the step of transmitting replacement data to said receiver that is implemented by said receiver (see figs 1-4 and col. 4 line 32-col. 5 line 61).

Consider claims 13-14 Lee as modified by Shirashi and Derks teach that the receiver of said audio system comprises a master receiver and two or more slave receivers that are operatively coupled to said master receiver, each of said slave receivers including a slave transmitter associated therewith(in Derks, see figs. 1-1-5 and col. 4 line 24-col. 5 line 67); and the transmitting step comprises the step of transmitting data from the slave transmitter associated with one of said slave receivers to said master receiver, and transmitting said data from said master receiver to said central control (in Derks, see figs. 1-5 and col. 4 line 24-col. 5 line 67).

Art Unit: 2614

Consider claim 15 Lee teaches said transmitting step comprises the steps of combining data associated with said transmitter(see fig.4(24)) with a pilot tone signal(oscillator 3 in fig. 4, reads on the pilot tone), mixing (20) said combined data/pilot tone signal with an audio signal(15), and transmitting said combined data/pilot tone/audio signal to said receiver(see figs 1-4 and col. 4 line 32-col. 5 line 61).

4. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee (US PAT. 6,025,553) as modified by Shiraishi (US PAT. 6,954,538) and Derks et al. (US PAT. 6,021,119) as applied to claim 1 above, and further in view of Chang (US PAT. 6,337,913).

Consider claim 16 Lee as modified Shirashi and Derks does not explicitly teach the pilot tone signal is at approximately 32 kHz.

However, Chang teaches that the pilot tone signal is at approximately 32 kHz (see abstract and col. 3 line 63-col. 4 line 12).

Therefore, it would have been obvious to one of the ordinary skill in the art at the time the invention was made to combine the teaching of Chang into the teaching of Lee, Shiraishi and Derks to achieve a high receiving performance.

5. Claims 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derks et al. (US PAT. 6,021,119) in view of Lee(US PAT. US 6,025,553).

Consider claim 17, Derks teaches a wireless microphone system comprising(see fig.4):

Art Unit: 2614

a microphone(46);

a CPU (see fig.4 (40) microcontroller) that digitally provides coded (see col. 4 line 24-col. 5 line 67) and serialized information including a frame of data containing a header with address information, and a payload including a plurality of status indicators of the wireless microphone said plurality of status indicators disposed within respective predetermined locations of the payload of the frame (see figs 6-7 and col. 7 line 9-col. 8 line 67); but Derks does not explicitly teaches tone burst creation circuitry that incorporates the provided coded and serialized information into a pilot tone burst; a mixer that mixes detected audio from. the microphone with the pilot tone burst; a modulator that modulates the mixed audio and pilot tone burst; and a wireless transmitter that wirelessly transmits an the modulated audio signal from the microphone mixed with the pilot tone burst.

However, Lee teaches tone burst creation circuitry that incorporates the provided coded and serialized information into a pilot tone burst(the tone controller reads on a tone burst(the tone controller in fig. 4(18)) manipulates a tone burst and see col. 5 line 63-col. 6 line 14); a mixer(see fig.4 (20)) that mixes detected audio from the microphone with the pilot tone burst; a modulator(20) that modulates the mixed audio and pilot tone burst; and a wireless transmitter(24) that wirelessly transmits an the modulated audio signal from the microphone mixed with the pilot tone burst (see fig. 4 and col. 5 line 25-col. 6 line 20).

Therefore, it would have been obvious to one of the ordinary skill in the at the time the invention was made to combine the teaching of Lee into Derks so that greatly

Art Unit: 2614

improves the quality of wireless networks in terms of reliability, range/coverage, versatility, and flexibility.

Consider claim 18 Derks teaches a wireless receiver located in the surrounding area of the wireless microphone that receives the transmitted audio signal and plurality of status indicators from the wireless microphone; a central control that remotely controls a set of functions of the wireless microphone system; and a communications link established between the wireless receiver and central controller through a public communication network (see figs. 1-5 and col. 4 line 24-col. 5 line 67).

Consider claim 19 Derks teaches a wireless microphone system comprising (see fig.4):

a handheld wireless microphone or body pack including an audio management block(see fig.2),

a CPU(see fig.4 (40) microcontroller);

a mixer (see fig.4 (47a))

a modulator(40) and

an output antenna(48a) wherein the audio management block changes an audio signal into an electric signal, the CPU provides coded (see col. 4 line 24-col. 5 line 67)

and serialized information about the handheld wireless microphone or body pack

including a data frame including a header with address information and a payload, the

CPU modules with the coded and serialized information including the data frame where

the coded and serialized information occupies respective predetermined locations within

the frame and the modulator modulates the changed audio signal for wireless

Art Unit: 2614

transmission through the output antenna(see figs 6-7 and col. 7 line 9-col. 8 line 67); but Derks does not explicitly teaches the mixer mixes the changed audio signal and modulated pilot tone and the modulator modulates the mixing the mixed changed audio signal and pilot tone burst for wireless transmission through the output antenna.

However, Lee teaches the mixer(see fig.4 (20)) mixes the changed audio signal and modulated pilot tone (oscillator 3 in fig. 4, reads on the pilot tone) and the modulator (20) modulates the mixing the mixed changed audio signal and pilot tone burst (the tone controller in fig. 4(18)) reads on a tone burst and see col. 5 line 63-col. 6 line 14) for wireless transmission through the output antenna(see fig. 4 (24) and col. 5 line 25-col. 6 line 20).

Therefore, it would have been obvious to one of the ordinary skill in the at the time the invention was made to combine the teaching of Lee into Derks so that greatly improves the quality of wireless networks in terms of reliability, range/coverage, versatility, and flexibility.

Consider claim 20 Derks teaches the wireless microphone system further comprising:

a wireless receiver located in the surrounding area of the handheld wireless microphone or body pack that receives the transmitted audio signal and plurality of status indicators from the wireless microphone(see fig.2 (46)); a central control that remotely controls a set of functions of the wireless microphone system; and a communications link established between the wireless receiver and central controller through a public communication network(see figs. 1-5 and col. 4 line 24-col. 5 line 67).

Response to Arguments

6. Applicant's arguments with respect to claim 1-20 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Casais (US PAT. 6,288,641) is cited to show other related method and apparatus for remote control of an audio source such as a wireless microphone system.

8. Any response to this action should be mailed to:

Mail Stop ____ (explanation, e.g., Amendment or After-final, etc.)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Facsimile responses should be faxed to:
(571) 273-8300

Hand-delivered responses should be brought to:
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lao, Lun-See whose telephone number is (571) 272-7501. The examiner can normally be reached on Monday-Friday from 8:00 to 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Art Unit: 2614

supervisor, Vivian Chin, can be reached on (571) 272-7848.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 whose telephone number is (571) 272-2600.

Lao,Lun-See
/LUN-SEE LAO/
Examiner, Art Unit 2614
Patent Examiner
US Patent and Trademark Office
Knox
571-272-7501
Date 06-06-2009

/Vivian Chin/
Supervisory Patent Examiner, Art Unit 2614